11 RF 6114

D'ST ETZKE, J C

OUCHER D'V V'S JG FPED JE PRERA D'V RAIS L R

TAIKOR F J

ANCIS, GE A NIWOOC EALY, TJ FKER EH ELE. P. B

ERSH, J M

IRKEBO, JA

EURRENS, R F IORGAN, R V

E, E M AJESTIC. J.R IATHEWS, IA

IORTH, P ALMER LA

OTTER, GL IZZUTO, V.M HOADES LL

AFFELL BE WANSON, E.B.

VILKINSON, R.B. VILLIAMS R E WILSON, J M

Hobbs FO

XXX

YOUNG ER

ANE JO

OPP RD

EG&G ROCKY FLATS

**EG&G ROCKY FLATS INC** 

ROCKY FLATS PLANT P O BOX 464 GOLDEN COLORADO 80402-0464 (303) 966 7000

September 18, 1991

91 RF 6114

Robert M Nelson Jr Manager DOE RFO

Attn D Simonson M VanDerPuy

MONTHLY DISCHARGE MONITORING REPORTINPDES FERMIT NO CO 0001333 JMK 0637 91

Attached is a draft letter of transmittal for the August 1991 Discharge Monitoring Report (DMR), required by the Rocky Flats Plant National Pollutant Discharge Elimination System (NPDES) Permit

It is necessary that the Principal Executive Officer sign and date the letter and the DMR forms Per verbal request of the Environmental Protection Agency (EPA) forms for those discharge points which were not active are included with the notation of 'No Discharge NPDES permit requires that the report be postmarked no later than September 28 1991 and be sent to the following

Mr Steve Burkett Chief Compliance Branch Water Management Division US EPA Region VIII 18th Street Suite 500 Denver, CO 80202 2413

Colorado Department of Health Attention Stanley V May Monitoring and Enforcement Section Water Quality Division 4210 East Eleventh Avenue Denver CO 80220

If you have any questions or desire further information on this matter please contact F D Hobbs at extension 7006

CLASSIFICATION

TRAFFIC

UCNI UNCLASS'FIED CONFIDENTIAL SECRET

ORRES CONTROL X X

AUTHORIZED CLASSIFIER

SIGNATURE

IN REPLY

PC# LTR APPROVALS

PF 46169 /Pev 7/911

ORIG & TYPIST INITIALS CVWITO

ersh, Associate General Manager Environmental & Waste Management

CVW fm

Orig and 1 cc R M Nelson, Jr

Attachment As Stated

Best Available Copy

ADMIN RECORD

A UUNE 1005-1 /8/5/0

A THE PARTY OF THE

DRAFT DRAFT DRAFT

Mr Steve Burkett, Chief Compliance Branch Water Management Division U S E P.A , Region VIII 999 - 18th Street, Suite 500 Denver, CO 80202-2413

Colorado Department of Health Attention Stanley V May Monitoring and Enforcement Section Water Quality Division 4210 East Eleventh Avenue Denver, CO 80220

Enclosed is the Discharge Monitoring Report for August 1991, as required by the Rocky Flats Plant National Pollutant Discharge Elimination System (NPDES) Permit No CO-0001333

There was no spray irrigation from Pond B-3 during the reporting period, per verbal agreement with the Environmental Protection Agency (EPA)

The Sewage Treatment Plant (STP) discharged continuously to Pond B-3, and Pond B-3 was continuously discharged to Pond B-5 during August 1991 Pond B-5 water was transferred to Pond A-4 continuously from August 15 through August 31 Offsite discharges from Pond A-4 occurred continuously from August 24 through August 31 1991 Pond A-4 water was filtered and treated with Granular Activated Carbon prior to offsite discharge Ponds A-3 and C-2 did not discharge during the reporting period

Additional monitoring data as required by the Federal Facilities Compliance Agreement (FFCA) are also presented on the attached summary page

2610

The second secon

## August 1991

## Pond B 5 Transfer to Pond A 4

Total Chromium WET test

0 0052 mg/l Ceriodaphnia Fathead Minnows

>100 LC<sub>50</sub> >100 LC<sub>50</sub>

## Waste Water Treatment Plant Effluent Metals Data

	August 7	August 14
Metal, totals	Results ug/l.	Results ug/l
Antimony	<38	<38
Arsenic	<1	1 3
Beryllium	<1	<1
Cadmium	<4	<4
Copper	<9	<7
Iron	203	101
Lead	3 3	2 8
Manganese	42 6	18 5
Mercury	0 2	<0 2
Nickel	<15	<15
Silver	<5	<5
Zinc	104	<b>57</b> 7

## Waste Water Treatment Plant Volatile Organic Compound Data August 7 August 14

	August 7	August 14	August 21
<u>voc</u>	Results ug/l	Results_ua/l	Results ua/l
Acrolein	<5		<del></del>
Acrylonitrile	<5		<5
Benzene	<5	<5	. •
Bromoform	<5	<5	
Carbon Tetrachloride	<5	<5	
Chlorobenzene	<5	<b>&lt;</b> 5	
Chlorodibromomethai		<5	
Chloroethane	<10	<10	
2 Chloroethylvinyl eth	ner <10		<10
Chloroform	5	4	
Dichlorobromometha	ne <5	<5	
1,1 Dichloroethane	<5	<5	
1 2 Dichloroethane	<5	<5	
1,1-Dichloroethylen	e <5	<5	
1 2 Dichloropropand		<5	
1 3 Dichloropropyle	ne <5	<5	
Ethylbenzene	<5	<5	
Methyl bromide	<10	<10	
Methyl chloride	<10	<10	
Methylene chloride	4	3	
1 1 2 2 Tetrachloroeth		<5	
Tetrachloroethylene	<5	<5	
Toluene	<5	<5	
1 2 Trans dichloroethy		<10	
1 1,1-Trichloroetha		<5	
1 1 2 Trichloroethai		<5	
Trichloroethylene	<5	<5	
Vinyl chloride	<10	<10	

THE NAME/ADDRESS (Include ame/Location if different)	ATS PLANT		NATIONAL POLLU DISCHA	RGE MON!	POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) ICHARGE MONITORING REPORT (DKR) (2.14)		MAJOR		•	7		
1		CO 80402	C0000	.00001333 PERMIT NUMBER	S Notes		: - FINAL	OMB OMB	No 25 Sylvania Sylva Sylvania Sylvania Sylvania Sylvania Sylvania Sylvania Sylvania	70(11) Apployed OMB No 2040-0004 Approval expires 6-30-91	0-91	
				SNIGOTINON			LSCI	FROM S	SENAGE	E TRIMI	T PT	-
PACILITY			VEAR	MB. DAYA	283	90 PV4	S SIF discharged continuously 8-1-91	ged cor		tinuously 8-1-91	_	thr
ATTN: DAVID P. STAD	STMONSON. ASST	T. KGR	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			7.30.37	NOTE Read instructions before completing this form.	ections bef	=	oletina th		
PARAMETER	1	Card Only)	YDIV		Card Only)	TY OR CO!	CENTRATION (54-61)		Q	FREQUENCY	BAMPLE	
(32-37)		AVERAGE	MAXIMUM	UNITE	MINIMUM	AVERAGE	МАХІМОМ	UNITE	X 62.63	ANALYBIS (64-68)		
Hd	SAMPLE	· · · · · · · · · · · · · · · · · · ·	***	<u> </u>	6 38	***	7 21	Su	0	7/1	GRAB	Γ
00400 1 0 0 EFFLUENT GROSS VALU				***				ns .		13.12	SEAS	Kor.
TOTAL	SAMPLE MEABURENENT	****	***	-	****	7	9	MG/L	0	2/7	COMP	
00530 1 0 0 EFFLUENT GROSS VALU				***				1/9H			oako ak	2
_	A ET ARASURENENT	***	***	<u>`</u>	****	***	NO DISCH	( 19 MG/L	0	1/1	GRAB	
1 0 0 NT GROSS V				***				MG/L		1000	GKAB	30%
15. TOTAL	SAMPLE MEASUREMENT	****	***		***	\$	1.2	1/9W WG/L	0	2/7	COMP	,
OSS VALU				***				HG/L			0 0 1 0 0 1	277
70TAL	Z	***	· · · · · · · · · · · · · · · · · · ·	^ _	**	<0 005	<0 005	( 1/9H	0	1/7	COMP	
y y				****				MG/1			n de se	<b>2</b> ) 3
CONDUI	T OR SAMPLE DE	0.11	0 17	(CD)	***	****	****	4	N/A	CONT	RCORDR	
0 1 0 0				NGD				***			REOKON.	<b>-</b>
, TOTAL	MEABUREMENT	· · · · · · · · · · · · · · · · · · ·	***		****	0.03	0 05	71/9W	N/A	DAILY	GRAB	
				***				HG/L		13796	GKKB	
INCIPAL EXE	<u> </u>	CACES MILLAN	F LAW THAT I MAVE P	ERBONALLY EX	EXAMPLED NO BASEED			TELEPHONE	Z Z	a	ATE	-
David P Simonson	ON MY WAS CONTAINED THANKS	CCURA	MEDIAT PE BU AWARE SE BE	LY RESPONSED INTO THE THE PRINCE IN THE PRIN	MAC SOR			-	!			
Assistant Manager	3308	319 (P	OF PINE AND HAPRISONMENT SEE IPPRAILIE and their statistics men the statistics men to appropriate the statistics of the		2	SIGNATURE OF PRINCIPAL EXECUTIVE	L EXECUTIVE AREA		NUMBER	YEAR	MO DAY	
DATE TO CALL TANKS	AL SUCIETY ION S	Section of the sectio	· hore)				7	1		4	1	_ ገ

THERE IS A VISIBLE SHEEN OF OIL AND GREASE REPORTED, A GRAB SAMPLE MUST ALSO BE TAKEN AND REPORTED ON STAINS DAY. IF NO VISIBLE SHEEN WAS REPORTED THEN OIL AND GREASE, 00556, SHOULD BE REPORTED AS NO PAFOR 3204 ROS 888 PAROUR BAND BAND IN THE WHICH MAY NOT BE AS IN THE STAIN SHOW IN THE STAIN SHOW IN THE WHICH MAY NOT BE AS IN THE STAIN SHOW IN THE SHOW IN THE STAIN SHOW IN THE SHOW IN THE STAIN SHOW IN THE STAIN SHOW IN THE STAIN SHOW IN THE SHOW IN THE STAIN SHOW IN THE STA OMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all utlachments here)

The STP discharged contimously 8-1-91 the NOTE Read instructions before completing this form SAMPLE TSUAL DY≺ /ISUAL (69 70) COMP FROM SEMAGE TRIMT PT GRAB Approval expires 6-30-91 DATE 9 FREQUENCY OF ANALYBIB Form Approved OMB No 2040-0004 HEEK (64-68) (64-68) YEAR 2/7 2/7 7/7 62-63) 2 X /100ML | 0 NUMBER TELEPHONE 100ML STINO \*\*\* MG/LHG/1 \*\*\* AREA \*\*\*\*\* DISCHARGE - FINAL MAXIMUM (3462) QUALITY OR CONCENTRATION SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 12 MAJOR u. \*\*\*\* NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR) (2 16) AVERAGE VE 8 18 05.4 DISCHARGE NUMBER (28 29) (30.31) £ 5. 9 10 STP A MONITORING PERIOD \*\*\*\* \*\*\*\*\* \*\*\*\*\* (26 27) MINIMOM (4 Card Only) 38.45 - 100 Mg MATION INCLUDING USC 1 1001 AND 1 /n up to \$10 DIN (24.25) PERMIT NUMBER (76) 0=0N C00001333 STINO \*\*\*\* \*\*\* ES=1 RUE ACCURATE AND COMPLETE I AM AWARE THAT THE TANT PENALTIES FOR SUBMITTING FALSE INFORMATION POSSIBLITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. 82 Pratter no the statte may nelled for mp summer I where we firm all and 5 ve 1 (22.23) \*\*\* \*\*\* QUANTITY OR LOADING 25 \*\*\* (20-21) \*\*\*\* MAXIMUM FROM nce all illuchments here) \*\*\*\* \*\*\*\* \*\*\*\* 80402 AVERAGE (3 Card Only) (46-53) SIMONSON, ASST. FGR 33 USC 4 1319 9 CHMENT AND EXPLANATION OF ANY VIOLATIONS (Ref SAMPLE MEASUREMENT NAME/TITLE PRINCIPAL EXECUTIVE OFFICER GROSS VALU GROSS VALU EFFLUENT GROSS VALU BOD CARBONACEOUS TYPED OR PRINTED ADDRESS P. O. BOX 928 Simonson Assistant Maniger ATTN: DAVID P. COLIFORM, FECAL 0 0 OIL AND GREASE PARAMETER 0 C - GOLDEN (32.37) 05 DAY, 20C EFFLUENT EFFLUENT David P GENERAL 74055 VISUAL 80082 84086 LOCATION PACILITY

GRAB SAMPLE MUST ALSO BE TAKEN AND REPORTED ON REPORTED THEN OIL AND GREASE, 00556, SHOULD BE REPORTED AS NO REPORTED. A AND GREASE THIS DAR. IF NO VISIBLE SHEEN WAS PATISHENSEN WAS IF THERE IS A VISIBLE SHEEN OF OIL

REPLACES EPA FORM T 40 WHICH MAY NOT BE USED )

ひして チー いしんじょしょ メンしじし

C

TAT

MAJOR Form Approved OMB No 2040-0004 F - FINAL Approval expires 6-30-91 DISCHARGE FROM POND A-3 *** NO DISCHARGE KX_I *** NOTE Reed instructions before completing this form.	CONCENTRATION  (34-61)  (34-61)  EX ANALYSIS  UNITS  EX ANALYSIS	**	SU SU SERVE	BASIS TENTE (VIT)	***** ****				TELEPHONE DATE	PRINCIPAL EXECUTIVE AREA NUMBER YEAR MO DAT
TOUR ER MONITORING REPO	LOADING (4 Card Only) ) (38-45)	( ) **	****	*****	( 03) ***** *****				I HAVE PERSONALI BUBMITTED HEREN IMMEDIATELY RESPY THE SUBMITTED A WAME THAT THE	SOMMENT SEE 18 U.B.C. \$ 1001 AND SIGNATURE OF SMITHING MAY INCLUDE UP IN SHEATH OF SECULOR OF
Facility Name/Location   different  ANAME USDOE-ROCKY FLATS PLANT ANAME COLUEN GOLDEN COLDEN FACILITY LOCATION ATTN: DAVID P. SIMONSON ASST. PGR	PARAMETER (46-33) (32-37)	44	GROSS VALU	NITROGEN, NITRATE SAMPLE ******* TOTAL (AS N) 000-20 1 0 0 EFFLUENT GROSS VALUE	CONDUI ATMENT 0 0	MEAGUREMENT	MEASURENENT	MEASUREMENT	- 400 E Z	THE POSSBALTY OF FINE 33.0.SC 1.319 IPvelives and resembles

ONO CHANGE FROM REQUIREMENTS PRIOR TO FFCA - SEE PAGE 8 OF THE PERMIT. THERE SHALL BE NO DISCHARGE OF CALLOATING SOLIDS OTHER THAN TRACE AMOUNTS. COMPOSITE SAMPLING FOR NITRATES IS ALLOWED.

A

ame/Location (/ different)	ATC DIANT		NATIONAL POLLI DISCHA	LEGE MON	NATIONAL POLLUTANT DISCHARGE ELMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR) (2.14)	RT (DKR)	MAJOR	, mid	A CO CO	τ.	
1:			C00001333	11333	ō	007 A		OMB	2040	OMB No 2040-0004	,
GOLDEN		CO 80402	PERMI	PERMIT NUMBER	Hosia	DISCHARGE NUMBER	ш.	Appro	val expir	res 6-30 (	, E
				MONIT	MONITORING PERIOD	٥	בין האחת				
PAGILITY			YEAR	MR DAY	X4 VE63	MAG DAY	*** NO DISCHARGE	CHARGE	XX	***	
ATTN: DAVED O STROP	TYOU TOUR	T. MGo	1,6,96,	196.761 156.661	1		ш	Read instructions before completing this form	re comple	eting this \$	er a
	1	Card Only)			Card Only)	TY OR	CONCENTRATION (34-61)		O <sub>N</sub>	FREQUENCY	BAMPLE
PARAMETER (32.37)	X	AVERAGE	MAXIMUM	STINO	MINIMUM	AVERAGE	MAXIMUM	STINO		• •	(02 69)
FLOW RATE	SAMPLE	*****		( 03)	***	****	****	<u></u>			
0 0		201720	$\mathfrak{T}$	5				***		9 7 7 1 1	R A B
TOT AL	SAMPLE	*****	*****	C 200	*****	****	*	(82)			
(AS CR) 01034 1 0 0	MEABUREMENT			***					<b>:</b>	7.30	KAB
GROS		•		****				N6/L		72/	
DURATION OF	SAMPLE MEASUREMENT	**	***	<u> </u>			<u>E</u>				
0 0			**	****				DAYS/ X MONTH	,		AV 10
A MED	SAMPLE										
	MEASUREMENT										
						·					
	SAMPLE MEASUREMENT										
	SAMPLE										
	ののでは										3. 32.5 2.5
	SAMPLE MEASUREMENT										
	sentification.										,
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	•	ŽĮ	TY OF LAW THAT I HAVE ITHE INFORMATION SUBMITTE	ERSONALLY HEREIN A	EXAMINED NO BASED			TELEPHONE		DAT	tal .
David P Simonson	ON MY OBTANIN IS TRUE	INQUIRY OF THE INFORMACCURATE AN	WDIVIDUALS IMMEDIATES N 1 BELIEVE THE SUB- DMPLETE 1 AM AWARE T BUBMITTING FALSE INFO	TELY RESPONSI- JEMITTED INFO THAT THERE FORMATION R	JALE FOR ORMATION ARE SIGNACLUDING			-			
יייייייייייייייייייייייייייייייייייייי	33 C		NMENT Blades m	no lead	28	0 6	PRINCIPAL EXECUTIVE	AREA	_	9	> 6
OMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all allachments here)	Y VIOLATIONS (	Reference all uttachmen	: I			5	1	4	7	4	$\dashv$

(REPLACES EPA FORM T 40 WHICH MAY NOT BE USED )

OPA Form 3320-1 (Rev 9-88) Previous editions may be used

5040404

CAMITTEE NAME (ADDRESS (Include scility Name) LOSION & Alform)	de FLATS PLANT		NATIONAL POLLU DISCHA	ROK MON.	DISCHARGE MONITORING REPORT (DMS) (2.16)		XO TAX	1			
DENESS P D 30x 928			C00001333	11333	le L				pproved o 2040-0	400	
· 🔾:		CO 80402	PERMI	PERMIT NUMBER	a liberi	DISCHARGE NUMBER	INAL	Approv	Approval expires 6-30-91	6-30-91	
				MONIT	MONITORING PERIOD			8-3			
ACILITY			YEAR	Mg DAY	7. 4.882	80 000	Pond B-3 discharged co	arged cor	9-		8-1-91
ATTN. DAVID P. SIMO	STHONSON ASST	T. MGR	(30.21)		12.32	(1883)		Read instructions before completing this form.	e completin	a this for	[ - ] [ - ]
PARAMETER	1 \	Card Only) (46-53)	17		Card Only) (38-45)	QUALITY OR CONCENTRATION (441)	SENTRATION (54-61)		NO PREDUENCY	ENCY .	SAMPLE
(32-37)		AVERAGE	MAXIMUM	UNITE	MINIMOM	AVERAGE	MAXIMUM	UNITS	<del>}</del>		(68-70)
1	PIGNES	****	****	<b>(</b> )	****		,	(61)		-	
00310 1 0 1	M. LABORETH LAND	A CONTRACTOR OF THE CONTRACTOR		****		6.4	10 7	MG/L	1/A   2/7	(S)	GRAB
LUENT				****				MG/L			
SOLIDS, TOTAL	SAMPLE MEASUREMENT	***	****	- -		<b>.</b>	<u></u>	(	7/6 7/8		α α <b>«</b>
00530 1 0 1 FFLUENT GROSS VALU			A TOWN THE WORLD AND A TOWN THE TOWN	***				MG/L			
NITRI S N)	NEABURENT THE ABURENT	*****	****	^	****	7.2	8.8	( 19) MG/L	0 2/7	5	GRAB
1 0 0				***						**•	10
	BAMPLE	*****	****	2	*****	****	0 13	(41)	O DATTO	a va v	9
RESIDUAL	MEASONEMENT			***				1 /0E		*	Q.
EFFLUENT GROSS VALU				***				MG/L			
BUD CARBONACEOUS	SAMPLE MEASUREMENT	****	***	<del>~</del>	***	2 3	3 8	( 16)   MG/L	4/A 2/7	SRAB	æ.
S2 LUENT				****				H6/L			9
	SALEAN ENT										
3,50	BAMPLE										
IAME/TITLE PRINCIPAL EXECUTIVE OFFICER	OFFICER I CERT	NEV LINDER PENALTY C IN FAMILIAR WITH THE	IF LAW THAT I HAVE I	MEMBER	AND BASED			TELEPHONE		DATE	
David P Simonson Assistant Manager	ON THE STATE OF TH	ON MY INQUERY OF THOSE INDIVIDUALS IMMEDIATELY OBTAINING THE INFORMATION I BELIEVE THE SUBMIT IN THUS ACCURATE AND COMMUTEE. I AM MINIST INSCANT PENALTES FOR SUBMITTING FALSE INFOR	INDIVIDUALS IMMEDIATE 4 + BELIEVE THE SU MPLETE. 1 AM AWARE LEBMITTING FALSE IMP	MITTED IN THE INTERNATION.	BLE FOR BRATTON AME BIG- CLUDING			-			5
TYPED OR PRINTED	TIN 33 U.S.	OSSIBILITY OF FINE AND C 1319 (Prositors and max main improvement of	O MAPRIBONMENT SEE ier these statutes iav in Thetaven 6 munitin and 5 v	MENT SEE 18 USC \$ 1001 AND lates up to \$10,000 unthe and 3 votes!	S 10 mm	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	EXECUTIVE AREA	EA NUMBER	ER YEAR	Q¥	DAY
DMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all utilachments here)	VIOLATIONS (R	eforence all uttachment	1				1				] ,

(REPLACES EPA FORM T 40 WHICH MAY NOT BE USED)

A Form 3320-1 (Rev 9-88) Previous editions may be used

PAGE

101

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

TAL

C

PAGE

REPLACES RPA FORM 1-40 WHICH MAY NOT BE USED )

SCALLY NAME LOCATION IN ALL SCALLY NAME USDO E-ROCKY FL	ELATS PLANT		NATIONAL POLL	ARGE MON!	NAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR) (2.16)		MAJOR	i i		_	
28 P O BOX 928		CO 80402	0000	COCO01333		006 A	T TINA!	OMB	OMB No 2040-0004	0004	ž
WHO THE STREET		20±02 00					ONO		אמו פאטווי		_
PAGIUITY			YEAR	MONIT	VEAR VEAR	DAY.			!		
***************************************	ì	į			٥	*	SIO DIS	DISCHARGE	<u>-</u>	***	
ATTN: DAVID P. SIMON	STHONSON ASS	To MGR	(20-21)	22 233) (24.3	(26-27) Cond Only)	(128 29) (30.31) NOIE ROOM	NOTE Read instructions before completing this form	actions beto	re comple	ting this \$	E
PARAMETER		- 1	(34-61)		(38-45)	(46.53)	(3746)		N ON	FREQUENCY	BAMPLE
(32-37)		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITE	- 5		(69-70)
FLOW RATE	BAMPLE	****		( 03)	****	***	***				
00056 1 0 0				5				****			
TOT AL	SAMPLE	****	****	<b>C</b>	· · · · · · · · · · · · · ·	****	*	(RZ )			
				*							
AMERICANT GROSS VALU			*****	****			4	USYL			
w	SAMPLE MEASUREMENT			,	****			**			
81381 1 0 0				***				DAYS/			01.40
ı	10 10 10 10 10 10 10 10 10 10 10 10 10 1										
	BAMPLE	·									
-5-	PANAL									_	
	MEABURIDHENT						-				
	ALAMAS AND THE				•	g sh					
	SAMPLE MEASUREMENT	-									
5. 24. 2. 5.								l* •			
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	30	LINCOLD PENALTY LINE LAS MITH THE	- ñ	PEMBONALLY ES	KAMENTO			TELEPHONE		DAT	
Assistant Manager	ONTAINING IS TRUE A	THE BYCORMATK CCURATE AND C	DUALS IN	ELY RESP JOHNITED THAT THE	WATON WE SE						*
TYPED OR PRINTED	33.05	THE POSSIBLITY OF FINE AND IMPRISON 33 U.S.C. \$1319. (Presiden under Iden 210 a.d. maximum mprimment if heliques 6 m	MONIA S T S	100 CBC		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	PRINCIPAL EXECUTIVE AREA AUTHORIZED AGENT CODS	NUMBER	IER YEAR	AR	DAY
OMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all actualments here)	VIOLATIONS (	Reference all ustachmen	is here)				1				

INTPLACES EPA FORM T 40 WHICH MAY NOT BE USED!

CPA Form 3320-1 (Rev 9-88) Previous editions may be used